



Internet Banking
Standard Bank Centre
5 Simmonds Street, Johannesburg, 2001
P.O. Box 7725, Johannesburg, 2000
Telephone: 0860 123 000
International: +27 11 299 4701
Fax: +27 11 631 8550
Website: www.standardbank.co.za

Dear MALSAK

We confirm that the following payment has been made into your account from DENISE VAN ZYL:

Reference number	3837104106
Beneficiary name	MALSAK
Bank name	TYME BANK
Beneficiary account number	XXXXXXXXXXXX7839
Beneficiary branch number	67891000
Beneficiary reference	GAS STOVE TOP INSTALLED
Amount	R7104.00
Payment date and time	2025-10-31 15h59

If you need more information or have any questions about this payment, please contact:
DENISE VAN ZYL

Payments to Standard Bank accounts may take up to one business day to reflect.
Payments to other banks may take up to three business days.

Please check your account to confirm you have received this payment.

Yours sincerely,
The Internet Banking Team

The Standard Bank of South Africa Limited (Reg. No. 1962/000738/06) Authorised financial services provider and registered credit provider (NCRCP16)

Directors: N Nyembezi (Chairman) DWP Hodnett* (Chief Executive Officer) LL Bam HJ Berrange PLH Cook A Daehnke* OA David-Borha1 GJ Fraser-Moleketi GMB Kennealy BJ Kruger Li Li2 JH Maree NNA Matyumza RN Ogega3 Fenglin Tian2 SK Tshabalala*

Company Secretary: K Froneman - 2025/10/10

*Executive Director 1Nigerian 2Chinese 3Kenyan



INVOICE

INV-Allepogas

Balance Due
R7,104.00

MALSAK

61
Ballade Crescent
Centurion Gauteng 0157
South Africa
ssdyum@gmail.com

Denise

Unit 8
10 Allepo Crescent
Centurion
0157
South Africa

Invoice Date : 2025/10/31
Terms : Custom
Due Date : 2025/11/15

#	Description	Qty	Rate	Amount
---	-------------	-----	------	--------

1	Complete gas stove installation including the supply of a filled 9 kg gas cylinder, all required materials, and professional labour.	1.00	7,104.00	7,104.00
---	--	------	----------	----------

Scope of work:

Supply and installation piping, isolation valve, regulator, hose, and fittings.
Pressure and leak testing of the full gas system.
Issuing of a Gas Certificate of Compliance (COC).
Commissioning and safety verification of the stove after installation.
Supply and installation of a steel cage for the cylinder (outdoor safety enclosure)
Work carried out in full compliance with SANS 10087-1 gas installation standards.

Sub Total 7,104.00

Total R7,104.00

Balance Due R7,104.00

Denise Van Zyl

From: Denise van Zyl <Denise@asapworld.co.za>
Sent: Tuesday, 11 November 2025 06:46
To: Denise Van Zyl
Subject: FW: Invoice - INV-Allepogas from MALSAK
Attachments: INV-Allepogas.pdf; IMG-20251031-WA0021.jpg; IMG-20251031-WA0024.jpg

Warning: Unusual link

This message contains an unusual link, which may lead to a malicious site. Confirm the message is safe before clicking any links.


Kind Regards

Denise
0671717182



From: Sakumzi Dyum <message-service@sender.zohoinvoice.com>
Sent: Friday, 31 October 2025 12:36
To: Denise van Zyl <Denise@asapworld.co.za>
Cc: ssdyum@gmail.com
Subject: Invoice - INV-Allepogas from MALSAK

You don't often get email from message-service@sender.zohoinvoice.com. [Learn why this is important](#)



Invoice #INV-Allepogas

Dear Denise,

Thank you for your business. Your invoice can be viewed, printed and downloaded as PDF from the link below.

INVOICE AMOUNT

R7,104.00

POE'S

All POE's received from 10 December 2025, will be verified and be allocated to an Assessor the week of the 12th of January 2026.

From: Denise Van Zyl <>
Sent: Thursday, 11 December 2025 11:20
To: Lethabo Malebana <reception@lpgas.co.za>
Subject: COC Certificate Gas stove tp installation

Good day,

Please can you assist me with the problem of an invalid COC Certificate issued at my home in Centurion. See attached.

Also please note the email below from SAQCCGAS.

I have spoken to Bushy the person whose name is on the COC contact number 0782832905, he has stated that this is not the first invalid COC Certificate issued using his details.

Please let me know going forward needs to be done.

Look forward to hearing from you.


Regards

From: Lethabo Malebana <reception@lpgas.co.za>
Sent: Thursday, 11 December 2025 12:13
To: Sharmilen Naidoo <Sharmilen@lpgas.co.za>
Cc: denise.vanzyl@acro.co.za
Subject: FW: COC Certificate Gas stove tp installation

Hi Sharmilen,

Please see below and attached.

Kind regards,

	<p>Lethabo Malebana Office Administrator T. +27 (0) 11 886 9702 A. 4 Kya Sands Road, Kya Sands, 2163, Gauteng, South Africa Connect with us: Facebook Twitter LinkedIn YouTube</p>
--	--

LPGSA Festive Season Closure Notice:

LPGSA will be closing for the Festive Season on Friday, 19 December 2025 and will re-open on Monday, 5 January 2026

LICENCES – SAQCC Gas and LPGSA Temporary licences

The cut-off date for processing licence applications will be Wednesday the 10th of December 2025

LPGSA temporary licence and SAQCC Gas licence applications made after the cut-off date will be processed from 9 January 2026

The last day for processing Temporary licence extensions and additional CoCs required for POEs will be Thursday 11 December 2025.



Denise van Zyl

Finance

Administrator

t: +27 (0) 11 470 2800

e: denise.vanzyl@acro.co.za

Connect with us
on LinkedIn

• Renew your GCP
Certification

• Join our Investigator Network

Phase 3, Second Floor Offices, Centurion Science Park, 1011 Pretorius Avenue,
Lyttelton Manor, Centurion, 0157

Co Reg No: 2004/010364/07 | **VAT No:** 4720239310 | Legal Disclaimer
Official Member of the Association of International CRO's – AICROS

From: denise van zyl <vanzyl Denise9@gmail.com>

Sent: Tuesday, 18 November 2025 12:19

To: Denise Van Zyl <denise.vanzyl@acro.co.za>

Subject: Fw:Contact Us: Denise van Zyl

Warning: Unusual link

This message contains an unusual link, which may lead to a malicious site. Confirm the message is safe before clicking any links.

Sent from my phone

----- Original message -----

From: INFO SAQCCGas <info@saqccgas.co.za>

Date: Tue, 18 Nov 2025, 12:04

To: denise van zyl <vanzyl Denise9@gmail.com>

Subject: RE: Re:Contact Us: Denise van Zyl

Hi Denise,

The address on the CoC you shared reflect Centurion and the one we have on the system reflect Ferndale (Randburg).

Appliance details and cylinder information is different.

Regards,

Virginia

From: INFO SAQCCGas
Sent: Tuesday, 18 November 2025 11:42
To: denise van zyl <vanzyl Denise9@gmail.com>
Subject: RE: Re:Contact Us: Denise van Zyl

Hi Denise,

Apologies for the delay,

The CoC number you shared belongs to someone else. This is a fraudulent and invalid CoC.

Both customer and practitioner details are different to what we have.

Regards,

Virginia

From: denise van zyl <vanzyl Denise9@gmail.com>
Sent: Tuesday, 11 November 2025 12:40
To: INFO SAQCCGas <info@saqccgas.co.za>
Subject: Re:Contact Us: Denise van Zyl

Dear Virginia,

Attached the COC certificate for stove top gas installation.

Regards Denise

Sent from my phone

----- Original message -----

From: INFO SAQCCGas <info@saqccgas.co.za>

Date: Mon, 10 Nov 2025, 15:56
To: vanzylDenise9@gmail.com
Subject: RE: Contact Us: Denise van Zyl

Hi Denise,

Thank you for your email.

What type of the installation was conducted ? can you please share a copy of the CoC so that we can direct you to relevant association.

Regards,

Virginia

From: Denise van Zyl <virginia@saqccgas.co.za>
Sent: Monday, 10 November 2025 15:15
To: INFO SAQCCGas <info@saqccgas.co.za>
Subject: Contact Us: Denise van Zyl

Name

Denise van Zyl

Email

vanzylDenise9@gmail.com

Contact Number

0671717182

Subject

query on installation done ai my home by Maleka Tladi Projects

Practitioner Registration Number

5031

COC Number

311702

Comment or Message

i need someone to inspect the installation for me at my home.

Sent from [SAQCC Gas](#)



Certificate No.:
311702
LP Gas - Domestic



CERTIFICATE OF CONFORMITY FOR GAS INSTALLATIONS: OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 Regulation 17(3) of the Pressure Equipment Regulations, 2009

Company Name :	0		
Physical Address :	Unit 8 LaCasa 10 Aleppo Crescent Rooihuiskraal North	ERF Number:	3081
Province :	Gauteng	Town :	Centurion
Postal Code :	0157		

User/Owner's Details

Name & Surname :	Karl Schultz	Capacity :	owner
Cell No. :	0834484767	Email Address :	Karl@asapworld.co.za

Certificate Received By

Name & Signature :	Karl Schultz	Signature :	

Gas Practitioner's Details

Name & Surname :	Bushy Maleka	SAQCC Gas Reg no:	5031
Cell No.:	27782832905	Email Address:	bushymaleka@gmail.com
Company :	Maleka Tladi Projects	Tel No.:	0782832905
Practitioner Type:	Permanent	LPGSA Reg No:(If any)	
Practitioner's Signature:			
Date	31-10-25	Job Card	328

Declaration: I Bushy Maleka declare that I am an authorised person and confirm that the information provided is correct.



Certificate No.:
311702
LP Gas - Domestic



CERTIFICATE OF CONFORMITY FOR GAS INSTALLATIONS: OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 Regulation 17(3) of the Pressure Equipment Regulations, 2009

Type of Installation :	Domestic
Reason for Issue of Certificate :	New Installation
Previous CoC number issue for the Site if Applicable :	0

Cylinder Size	Quantity	Cylinder / Tank Details	
19kg	1	Weight (Kg)	38.4
		Volume (Ltrs)	38.4
		Fire Approval if Required (Yes/No)	no

Manifolds			
Manifold Type	Vapor/Liquid(Name)	Serial No.	Type
Vapor		0	0

Regulator Brand		
Regulator Brand Name	Model Number	Quantity
Astro	10kgbane	1

Pipework Type					
Pipetype	Steel	Copper	Composite	CSST	HDPE
Surface			2.0		
Embedded					
In Roof					
Buried					
Filling Site					
Pipe run in metre	0	0	2.0	0	0

Appliances		
Note: for domestic and commercial installations, only appliances that comply with SANS 1539 may be installed. If in doubt contact the appliance supplier or the LPGSA		
Type Name	Brand	Model Number
Hob	Candy	CHW6LBX

Installation Standard	10087-1
Edition	2013
Leak test	Pass
Leak Repaired	NA
Static Pressure	2.8kpa



Certificate No.:
311702
LP Gas - Domestic



CERTIFICATE OF CONFORMITY FOR GAS INSTALLATIONS: OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 Regulation 17(3) of the Pressure Equipment Regulations, 2009

Working Pressure	2.8kpa
Metered site	No
Flue Termination	Flueless
Flue Operation Tested	Flueless
Ventilation	Pass
Burner Inspection	Pass
Burner Cleaned	NA
Flame Picture	Pass
Appliance operation	Pass
Manifold Inspection	N/A
Manifold Repair	0

Uploaded Supporting Documents :

--	--	--	--	--

Geo Locations of COC Latitude :-25.727689 Longitude : 28.355890

Mentor Name (if Applicable)	Signature (if Applicable)
Mentor Registration ID (if Applicable)	

Additional comments (if any)

CERTIFICATE OF CONFORMITY FOR GAS INSTALLATIONS: OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 Regulation 17(3) of the Pressure Equipment Regulations, 2009

Safety Concern/Comments


0

In the event of a gas leak, close all valves, open windows and contact your gas installer or supplier




Adhere to all warning signs fitted to the gas installation and cylinders


It is advisable to install at least one dry powder fire extinguisher close to the LP Gas cylinder installation



When storing certain volumes of LP Gas on your premises, the local by-laws might require that you obtain a Flammable Liquid Permit (check with your gas supplier/ Fire Department)




Do not make changes or additions to the gas installation. Only use a registered gas installer



Ensure the cylinder valve is closed before removing the connecting hose or changing the gas cylinder



The installation is equipped with an emergency valve that must be accessible at all times should an emergency arise



Ensure that the main isolation valve of the gas supply line is closed when the system is not in use for extended periods

Permanent air ventilation may be required for the safety of the occupants of rooms where gas appliances are installed. Check with the gas installer

Empty Cylinders must be closed and stored in a safe place away from extreme heat

All gas installations and appliances should be checked for leaks and safe operation every 12 months

LP Gas hoses to connect cylinders must be replaced every 5 years or sooner if they show any cracks in the surface

